



Maintenance revolutionized with a cordless screwdriver:

Lutz LubeDrive

Pumping grease and
oil on the go.

safety is our concern

"I now use a cordless screwdriver to pump my lubricating grease – I no longer need to bother with laborious hand pumping and inflexible pumping using compressed air motors."



Does this sound odd? Well, it isn't! **The new LubeDrive pump tube from Lutz Pumpen** allows you to do exactly that. It is **the world's first eccentric screw pump tube that can be powered by a standard cordless screwdriver**. It offers a simple, quick, and flexible solution for filling central lubricating systems or transmissions – without the need for complex technology.

The challenge:
Pumping highly viscous lubricating grease or transmission oil everywhere with ease.

- Hand pumps require a lot of force and are enormously time-consuming to operate.
- Pneumatic pumps are often heavy and cumbersome, and they must be connected to a compressed air supply.



"Pumping lubricating grease from containers can be a time-consuming and exhausting job, especially when it comes to filling central lubricating systems in vehicles, machines and systems."



The solution: The Lutz LubeDrive pump tube.

- Suitable for all standard grease types and transmission oils
- A simple, robust pump that can be operated with any cordless screwdriver
- Maximum mobility, no electricity, compressed air, or manual work necessary
- Much faster pumping than by hand
- Faster and much quieter pumping than with pneumatic piston pumps.

“The Lutz LubeDrive pump tube makes pumping lubricating grease up to NLGI-2 easier and more efficient than ever.”



The handy pump for filling your central lubricating system or your transmission.

- **Simple handling:** just set up the robust pump tube made of steel in the container (capacity: 10 to 60 kg).
- **Quick and efficient:** insert a standard cordless screwdriver with a bit holder, and effortlessly pump the lubricating grease through a hose into the central lubricating system – with up to 2 kg/min.
- **Convenient:** no heavy motor, no pneumatic connection, and no more aching muscles – no unnecessary effort required.

“Your industry can also profit from the Lutz LubeDrive filling pump.”

- Automotive industry
- Mechanical engineering
- Agriculture and forestry
- Construction industry
- Mining industry
- Shipping and maritime industry
- Renewable energy
- Transport and logistics
- Energy supply
- Maintenance and upkeep services



Technical data

Cordless screwdriver connection	hexagon ¼" (6.3) mm, suitable for standard bit inserts
Delivery rate	up to 2 kg/min
Grease delivery	cordless screwdriver
Pressure	max. 35 bar
NLGI classes	up to NLGI 2
Viscosity class	up to ISO VG 1500
Stator	NBR
Pump tube material	galvanized steel/aluminium
Weight (excluding hose)	2 kg
Pump tube connection	cutting ring screw connection L-12 (M18x1.5) DIN 2353/ISO 8434-1
Pump tube diameter	Ø 35 mm
Hose set	1.5 m/DN10/one-hand coupling

Article	Designation	Function
0155-205	LubeDrive 600 excluding hose, L-12 connection	usable length 500 mm suitable for 5-18 kg (bucket), 25/30 kg (hobbock), 20/25/30 l canister
0207-601	LubeDrive 600 Set incl. 1.5 m hose DN10 and one-hand coupling	
0155-210	LubeDrive 900 excluding hose, L-12 connection	usable length 800 mm suitable for 50 kg (hobbock), 60 l canister
0207-602	LubeDrive 900 Set incl. 1.5 m hose DN10 and one-hand coupling	

“Quality down to the finest detail – accessories for the Lutz LubeDrive pump tube – suitable for every requirement.”

Article number

0155-180	torque bracket for cordless screwdriver	enables one-handed pump operation
0205-813	hose set	1.5 m hose DN10, coupling, and dust cap
0374-484	hose 1.5 m, DN10	L-12 (M18 x 1.5) connection for on-site coupling
0371-471	straight coupling	for connecting two hoses 0374-484 or extending the hose set
0302-217	plug-in nipple G1/8" with valve	fits hose coupling
0302-218	plug-in nipple G1/4" with valve	fits hose coupling
0302-219	plug-in nipple G3/8" with valve	fits hose coupling
0302-220	plug-in nipple G1/2" with valve	fits hose coupling
0373-557	dust protection cap for plug-in nipple	
0378-040	drum lid with centering	up to container interior Ø 345 mm
0378-041	drum lid with centering	up to container interior Ø 415 mm
0378-042	WOERNER venting system	connector block with plug-in nipple and collection cartridge
0378-050	follower plate FP20	drum diameter Ø 285-305 mm
0378-051	follower plate FP25	drum diameter Ø 300-335 mm
0378-052	follower plate FP40	drum diameter Ø 305-350 mm
0378-053	follower plate FP501	drum diameter Ø 350-385 mm
0378-054	follower plate FP502	drum diameter Ø 385-410 mm



Follower plate



Drum lid centering



Revolutionize the process of pumping lubricating grease with the Lutz LubeDrive filling pump.
Contact us today for a personal consultation and take the first step towards lubricating your machines and vehicles more efficiently.

- Give us a call: +49 9342879 - 0
- Visit our website: www.lutz-jesco.com
- Write to us: info@lutz-pumpen.de



To our brochure
in German.

You will also find this
brochure in electronic
form as well as exciting
videos on the topic.

Lutz Pumpen GmbH
Erlenstraße 5 – 7
97877 Wertheim
Germany
phone +49 934879-0
info@lutz-pumpen.de

www.lutz-jesco.com

Follow us:

